

## PRESS RELEASE

### The New Andex 904 Hydro – High Capacity in Field, Compact on the Road

26.08.2013, Gottmadingen, Germany



The new Andex 904 Hydro

**With 9m working width and transport height below 4m, even without detaching tine arms, the new Andex 904 Hydro offers remarkable productivity with no downtime.**

#### **9m Working Width and Adjustable Swath Width**

The Andex 904 Hydro will go as wide as 9.00m during work with its twin rotors, and offers the flexibility to adjust the working width between 8-9m. This enables varying the swath width from 1.20m up to 2.2m, providing a perfect match between field and crop conditions and the pick-up width of the loader wagon, baler or forager. All main functions such as lifting and lowering of main frame and rotors are operated from the tractor cab, using an electro mechanic control terminal.

#### **Clean Raking Action with the ProLine Gearbox**

The Andex 904 Hydro is packed with features such as the ProLine gearbox. The heavy-duty ProLine gearbox is maintenance-free and designed for heavy-duty use. In addition the inner tine arm shafts can be removed and exchanged individually, significantly reducing down time in case of damages. The new cam track design has been designed to leave the crop faster and, in combination with the curved tine arms, it leaves a more uniform and regular swath.

The infinitely adjustable cam track allows fine tuning to all crop conditions in order to obtain optimum raking and swath formation.



*Below 4m transport height, even with tine arms mounted.*

#### **4m Transport Height**

The Andex 904 will stay below 4m during transport, even with all tine arms fully mounted. Thanks to the hydro axles, which are a unique Vicon feature, the complete rake can be lowered hydraulically for transport, ensuring that it will go below 4m transport height. Another benefit is that the gravity point is moved towards the ground, and in combination with the wide track width and large 380/55-17 tires it creates excellent weight distribution and stability during transport. Add in the 80° turning headstock and you have a highly maneuverable machine.

To ease the raking process in awkwardly shaped fields, the Andex 904 Hydro is standard equipped with single-side lifting of each rotor.

### Vicon Andex 904 Hydro – Specifications in Brief:

Model	Index 904 Hydro
Working width:	8.00-9.00m
Transport length:	6.24m
Transport height	3.96m
Transport width	2.98m
Track width	2.61m
Number of tine arms	2 x 14
Tines per arm	4
Rotor diameter	3.80m
Transport speed	Up to 50 km/h

Download high resolution images of the Vicon Andex 904 Hydro here:



[Download field image 01](#)



[Download field image 02](#)



[Download transport image 01](#)



[Download transport image 02](#)

\*\*\*

Kverneland Group is a leading international company developing, producing and distributing agricultural machinery and services. Strong focus on innovation allows us to provide a unique and broad product range with high quality. Kverneland Group offers an extensive package aimed at the professional farming community, covering the areas of soil preparation, seeding, forage and bale equipment, spreading, spraying and electronic solutions for agricultural tractors and machinery. For more information on Kverneland Group visit [www.kvernelandgroup.com](http://www.kvernelandgroup.com)

-- END --



For more information, contact:

Sebastian Hagemann, Product Manager, Rakes and Tedders  
Kverneland Group Gottmadingen  
Tel. +49 7731 788 302  
Email: [sebastian.hagemann@kvernelandgroup.com](mailto:sebastian.hagemann@kvernelandgroup.com)

#### Vicon and iM FARMING Online:



Visit our web site  
[www.vicon.eu](http://www.vicon.eu)



Like us on facebook  
[www.facebook.com/KvernelandGroup](http://www.facebook.com/KvernelandGroup)  
[www.facebook.com/iMFarming](http://www.facebook.com/iMFarming)



Watch us on YouTube  
[www.youtube.com/kvernelandgrp](http://www.youtube.com/kvernelandgrp)



Follow us on Twitter  
[@KvernelandGroup](https://twitter.com/KvernelandGroup)  
[@iM\\_Farming](https://twitter.com/iM_Farming)